

BI  **NYL** **PRO**

**THE FLOOR
THAT TAKES
IT ALL**




THE FLOOR THAT IS READY FOR YOU

Water resistant** organic* Coreboard CO₂-neutral*** Thermally stable

*Consists of natural wood and an organic chemical binder.
**24 h splash-water protection in accordance with NALFA (North American Laminate Floor Association) and additionally 100 h+ in accordance with KRONOSPAN company standard WN-101, www.100hour-test.com
***O.R.C.A. boards are CO₂ neutral, because the production process of transforming a tree into O.R.C.A. emits less CO₂ than the tree itself has stored.

The floor that gives you one less thing to worry about

Relax. BinyI^{PRO}-Floor with its Moisture Defense Technology is a safe bet when it comes to everyday mishaps. You no longer have to worry about your floor, for example if you spill a drink or cause minor water spillage.



The floor that combines the best

www.binyl-flooring.com




O.R.C.A. is doubly good.
It unites the best qualities of biologically based floors and conventional waterproof floor coverings. In O.R.C.A., organic* materials are made resistant to liquids by means of a special technology.

O.R.C.A. makes BinylPRO usable anywhere.
Innovative O.R.C.A. Board makes it possible to install BinylPRO-Floor even in private bathrooms** where, until now, only vinyl or tile could be used. In addition, there are its outstanding thermal stability and non-fade properties, thanks to which BinylPRO even looks good in conservatories and rooms with floor-to-ceiling windows.

O.R.C.A. is built better because it is more elaborately manufactured.
The wood fibers are mechanically processed multiple times in a special production process to obtain especially small fibers. Further on in the manufacturing process a specially developed, organic-chemical binding agent surrounds even the finest fibers and isolates them from moisture.

*Consists of natural wood and an organic chemical binder.
**Please observe installation instructions.



O.R.C.A.®
ORGANIC RIGID COREBOARD ANTISTATIC
MOISTURE DEFENSE TECHNOLOGY



*24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.100hour-test.com

The flooring that fits wherever you need it

Water spills happen all too quickly.

Mishaps occur almost daily. Wherever such things are bound to happen, it's worth relying on BinyI PRO. Kitchen, dining room, bathroom – BinyI PRO-Floor is a perfect fit. The room has floor-to-ceiling windows? No problem for BinyI PRO, because it is unaffected by temperature fluctuations and long-term, direct exposure to light.

100 h+ splash-water protection guaranteed.*

When it comes to the little accidents of everyday life, with BinyI PRO, you can relax and calmly mop up the liquid. You can rest in the complete assurance that little mishaps won't turn into big disasters.



The flooring that forgives accidents



Tested by the clumsiest family in the world.
We'd like to introduce the Clumsy family.
In the Clumsy household, life's little mishaps are everyday occurrences and sometimes even become major disasters. It's a good thing that they have BinylPRO-Floor with the O.R.C.A. Moisture Defense Technology.



Scan the QR code to see the video. It's worth it!

*24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.100hour-test.com



A life with wood



We live from wood.

We also live with wood.

So it's only natural that we handle our wood with care. Sustainability isn't just a buzzword for us, but part of our corporate strategy. It would never cross our minds to use wood that didn't come from sustainably managed forests.

We reap what we sow.

Since 2003, KRONOSPAN Lampertswalde has been making an active contribution to reforestation by planting trees. This gives us the chance to produce part of the wood that we process ourselves. We use resources very frugally. We also process wood from trees damaged by storms as well as crooked and gnarled trees that can't be used to make furniture or parquet flooring.

Born of regional tradition.

What all the types of wood we use have in common is that they come from our region. None of the timber we process has to be transported over long distances. Transporting wood across the globe by ship doesn't make sense to us ecologically.

Not one bit is lost.

At KRONOSPAN, wood scraps left over from production are recycled in the production process or used for our own CO₂-neutral energy production.



The flooring that is naturally nature-friendly




BinyIPRO is CO₂-neutral because manufacturing O.R.C.A. releases less CO₂ than was stored by the tree.

Our O.R.C.A. Board consists of components based on biological raw materials and organic-chemical binding agents (synthetic resins) and thus is organic**.



BinyIPRO-Floor contains no PVC. It has been certified with the well-known “Blue Angel” ecolabel and recognized by the Cologne eco-INITIUT. BinyIPRO also has the highest indoor air quality certification: A+.



www.blauer-engel.de/uz176

*Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission).

**Consists of natural wood and an organic chemical binder.

The flooring so good that
we guarantee it for 30 years

RESIDENTIAL
30
YEARS

COMMERCIAL
5
YEARS


WARRANTY*

BinyI PRO is extremely robust and thus suitable for a variety of uses. We are so convinced of its quality that we guarantee* it for no less than 30 years residential and 5 years commercial.

*According to warranty terms.

The features at a glance

See for yourself at a glance everything of which BinyIPRO is capable of, how durable it is, and the many possible uses it has.



Utilization class 33 AC5 (EN 13329)

Extremely robust: With an AC5 durability rating, BinyIPRO withstands the demands of everyday life and more.




GUARANTEE

We provide a 30-year warranty for private living areas and a 5-year warranty for commercial areas.*



ORGANIC RIGID BOARD

The core of our BinyIPRO is produced in an organic** and eco-friendly manner using timber from sustainably managed forests.



ANTI BACTERIAL COATING

The antibacterial coating*** gives bacteria no chance to grow. With periodic cleaning, you and your family can enjoy everyday life without a care.




MICROSCRATCH PROTECT

The robust surface protects BinyIPRO against microscratches that can be caused by strong mechanical stresses such as moving furniture, falling objects or the claws of house pets.



ANTI-STATIC

BinyIPRO does not build up a static electrical charge in case of friction, unlike, for example, many types of vinyl flooring. Unwanted electrical shocks are avoided.



V-GROOVE

BinyIPRO has beveled edges, which ensures an especially authentic appearance.




PET PROOF

Thanks to its antibacterial Microscratch Protect surface, which is also undaunted by small mishaps, BinyIPRO is exceptionally well-suited for life with house pets.



LIGHT-RESISTANT

Its non-fade properties (rated at 6, the top of the blue wool scale) makes BinyIPRO ideally suited for rooms exposed to intense light, for example, conservatories or rooms with floor-to-ceiling windows.



1CLIC 2GO PURE

BinyIPRO can be installed in no time at all with the innovative 1clíc 2go pure installation system, which requires no plastic insert strips.

*According to warranty terms.

**Consists of natural wood and an organic chemical binder.

***Tested bacteria: Staphylococcus aureus.

Overview

Fresh wood looks

www.binyl-flooring.com



Packaging information: 1 box contains 9 planks = 2.22 m²/23.89 sq ft (16.5 kg/box)



1514 · Svalbard Oak



1535 · Stratos Oak



1532 · Bolero Oak




1517 · Fairland Oak



1524 · Surf Pine



1521 · Tortona Oak



1534 · Soho Pine



1531 · Aramis Oak



1537 · Charcoal Oak

*According to warranty terms.

1514 - Svalbard Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Living Pore (LP)
Authentic Embossed

Class
33, AC5



8 mm



Stands up to even the biggest bunch of rascals

*According to warranty terms.

1535 - Stratos Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)

Class
33, AC5



8 mm

*According to warranty terms.



1532 - Bolero Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Tidal Oak (TO)
Authentic Embossed

Class
33, AC5



8 mm

*According to warranty terms.



1517 - Fairland Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Palace Oak (PO)
Authentic Embossed

Class
33, AC5



8 mm

Lets fathers sleep peacefully again

*According to warranty terms.

1524 - Surf Pine

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)

Class
33, AC5



8 mm



*According to warranty terms.

1521 - Tortona Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)

Class
33, AC5



8 mm



Wherever there is water,
there should be BinylPRO

*According to warranty terms.

1534 - Soho Pine


Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)

Class
33, AC5



8 mm



*According to warranty terms.

1531 - Aramis Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)

Class
33, AC5



8 mm



*According to warranty terms.

1537 - Charcoal Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Rust (RT)

Class
33, AC5



8 mm



*According to warranty terms.

O.R.C.A. is the best recipe for kitchens



Overview

Warm wood looks

www.binyl-flooring.com



Packaging information: 1 box contains 9 planks = 2.22 m²/23.89 sq ft (16.5 kg/box)



1516 · Amalfi Oak



1533 · Hamilton Oak



1519 · Heirloom Oak



1536 · Stockholm Oak



1538 · Alamos Oak



1530 · Dartagnan Oak



1523 · Mayan Oak



1579 · Havana Oak



1539 · Clayborne Oak

*According to warranty terms.

1516 - Amalfi Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"


Texture
Palace Oak (PO)
Authentic Embossed

Class
33, AC5



8 mm

Très chic: the perfect look for any princess



*According to warranty terms.

1533 - Hamilton Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Tidal Oak (TO)
Authentic Embossed

Class
33, AC5



8 mm



*According to warranty terms.

1519 - Heirloom Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Historic Oak (HO)
Authentic Embossed

Class
33, AC5



EN 13329



8 mm



*According to warranty terms.

Turns bathrooms into playrooms



1536 - Stockholm Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)

Class
33, AC5



EN 13329



8 mm



*According to warranty terms.

1538 - Alamos Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)

Class
33, AC5



8 mm



*According to warranty terms.

1530 - Dartagnan Oak


Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Rustic Finish (RF)

Class
33, AC5



8 mm



Splash away without a care

*According to warranty terms.

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)

Class
33, AC5



8 mm



*According to warranty terms.

1579 - Havana Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Living Pore (LP)
Authentic Embossed

Class
33, AC5



8 mm



*According to warranty terms.

1539 - Clayborne Oak


Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Hand Carved (HC)
Authentic Embossed

Class
33, AC5



8 mm



Chase away boredom

*According to warranty terms.

Overview

Fine stone looks

www.binyl-flooring.com



Packaging information: 1 box contains 11 planks = 2.28 m²/24.54 sq ft (17.2 kg/box)



1525 · Quicksilver



1528 · Skatepark



1527 · Moon Slate



1526 · Brecon Slate

*According to warranty terms.



So reliable you can afford to take the plunge

1525 - Quicksilver


Format size
W 327 mm x L 635 mm
12 7/8" x 25"

Texture
Rust (RT)

Class
33, AC5



8 mm



*According to warranty terms.

1528 - Skatepark

Format size
W 327 mm x L 635 mm
12 7/8" x 25"

Texture
Antique Stone (AS)

Class
33, AC5



EN 13329



8 mm



*According to warranty terms.

1527 - Moon Slate

Format size
W 327 mm x L 635 mm
12 7/8" x 25"

Texture
Oiled Slate (OS)
Authentic Embossed

Class
33, AC5



8 mm



*According to warranty terms.

A giant step towards the bathroom of the future



1526 - Brecon Slate

Format size
W 327 mm x L 635 mm
12 7/8" x 25"

Texture
Oiled Slate (OS)
Authentic Embossed

Class
33, AC5




8 mm



*According to warranty terms.

Easy installation

If you make flooring that is resistant to water, you also have to minimize the chances of water penetrating into the click connections. BinylPRO is installed using the, organic* 1cllic 2go pure click system – an extra strong locking system which, together with the O.R.C.A. Board, becomes the innovative O.R.C.A. Moisture Defense Technology. It lets you cover large areas without expansion joints**. The flooring can be installed without a transition profile between rooms with similar climate conditions. Irregularities in the underlying surface do not show in the installed floor. See for yourself how easy it is!



1CLIC 2GO PURE

Scan the QR code to see the video. It's worth it!



*Consists of natural wood and an organic chemical binder.
**Please observe installation instructions.

Coordinated accessories


With suitable accessories, you leave nothing to chance. The appropriate underlay provides a good base for your BinylPRO. Our skirting and profiles provide the perfect finishing touches for your Floor. With our recommended cleaner, you will ensure that your BinylPRO-Floor looks as good as new for a long time.



Cleaner



PE-foil



Aluminum tape



PUR 1.0 insulation mat



3-in-1 profile



Skirting board with matching decor



Tapping block



End pieces, inside and outside corners



Spacer




Mounting parts

Why BinylPRO-Floor is exactly the right flooring for you

www.binyl-flooring.com

BINYLPRO

THE FLOOR THAT TAKES IT ALL




O.R.C.A.[©]
ORGANIC RIGID COREBOARD ANTISTATIC
MOISTURE DEFENSE TECHNOLOGY



Are your flower vases in love with gravity?



Is your dog unable to wait for his next walk?



Does your radiator sweat like it's doing a workout?



Does your drink land where it's not supposed to go?



Does your child's definition of hygiene differ from yours?

MADE IN GERMANY

03/20/02

The product information in this catalog was current at the time of going to press. Because of our continuous product development policy, we reserve the right to change product specifications. Due to standard printing industry tolerances, the original decors may deviate from the illustrations in this catalog.

krono 

Kronoflooring GmbH
Mühlbacher Straße 1 · 01561 Lampertswalde, Germany

Tel.: + 49 3522 33 - 30 · Fax: + 49 3522 33 - 399

E-Mail: info@binyl-flooring.com

www.binyl-flooring.com